


1穴・1溝(材質 SUS304)

RoHS適合品



※101 枚以上のご注文は別途お見積いたします。

(1 枚あたり単価/円)

Y=短辺(mm)	X=長辺(mm)	板厚(mm)	10~20 枚	21~50 枚	51~100 枚
10~25	10~30	0.01・0.015	324	285	249
		0.02・0.025	279	245	214
		0.03・0.035	255	224	196
		0.04~0.09 (0.01 とび)	235	206	180
	31~47	0.01・0.015	342	300	263
		0.02・0.025	295	259	226
		0.03・0.035	270	237	207
		0.04~0.09 (0.01 とび)	248	218	190
	48~100	0.01・0.015	514	451	395
		0.02・0.025	443	389	340
		0.03・0.035	405	356	311
		0.04~0.09 (0.01 とび)	373	327	286
	101~140	0.01・0.015	653	573	502
		0.02・0.025	563	494	432
		0.03・0.035	516	453	396
		0.04~0.09 (0.01 とび)	473	416	364
26~30	10~30	0.01・0.015	324	285	249
		0.02・0.025	279	245	214
		0.03・0.035	255	224	196
		0.04~0.09 (0.01 とび)	235	206	180
	31~47	0.01・0.015	420	369	323
		0.02・0.025	362	318	278
		0.03・0.035	332	291	255
		0.04~0.09 (0.01 とび)	305	267	234
	48~100	0.01・0.015	594	522	456
		0.02・0.025	512	450	393
		0.03・0.035	469	412	360
		0.04~0.09 (0.01 とび)	431	378	331
	101~140	0.01・0.015	755	663	580
		0.02・0.025	651	571	500
		0.03・0.035	596	524	458
		0.04~0.09 (0.01 とび)	547	480	420


(続く)

(続き)

Y=短辺(mm)	X=長辺(mm)	板厚(mm)	10~20 枚	21~50 枚	51~100 枚
31~43	10~30	0.01・0.015	364	319	279
		0.02・0.025	314	275	241
		0.03・0.035	287	252	220
		0.04~0.09 (0.01 とび)	264	231	202
	31~47	0.01・0.015	514	451	395
		0.02・0.025	443	389	340
		0.03・0.035	405	356	311
		0.04~0.09 (0.01 とび)	373	327	286
	48~100	0.01・0.015	554	486	425
		0.02・0.025	478	419	367
		0.03・0.035	437	384	336
		0.04~0.09 (0.01 とび)	401	352	308
	101~140	0.01・0.015	762	669	585
		0.02・0.025	657	577	505
		0.03・0.035	601	528	462
		0.04~0.09 (0.01 とび)	552	485	424
44~50	10~30	0.01・0.015	514	451	395
		0.02・0.025	443	389	340
		0.03・0.035	405	356	311
		0.04~0.09 (0.01 とび)	373	327	286
	31~47	0.01・0.015	554	486	425
		0.02・0.025	478	419	367
		0.03・0.035	437	384	336
		0.04~0.09 (0.01 とび)	401	352	308
	48~100	0.01・0.015	554	486	425
		0.02・0.025	478	419	367
		0.03・0.035	437	384	336
		0.04~0.09 (0.01 とび)	401	352	308
	101~140	0.01・0.015	787	691	604
		0.02・0.025	678	596	521
		0.03・0.035	621	545	477
		0.04~0.09 (0.01 とび)	570	501	438
51~90	48~100	0.01・0.015	787	691	604
		0.02・0.025	678	596	521
		0.03・0.035	621	545	477
		0.04~0.09 (0.01 とび)	570	501	438
	101~140	0.01・0.015	1,060	930	814
		0.02・0.025	914	802	702
		0.03・0.035	837	735	643
		0.04~0.09 (0.01 とび)	768	674	590

2穴・2溝(材質 SUS304)

RoHS適合品



※101 枚以上のご注文は別途お見積いたします。

(1枚あたり単価/円)

Y=短辺(mm)	X=長辺(mm)	板厚(mm)	10~20 枚	21~50 枚	51~100 枚
10~25	10~30	0.01・0.015	372	326	286
		0.02・0.025	320	281	246
		0.03・0.035	293	257	225
		0.04~0.09 (0.01 とび)	269	236	207
	31~47	0.01・0.015	392	344	301
		0.02・0.025	338	297	260
		0.03・0.035	309	272	238
		0.04~0.09 (0.01 とび)	284	249	218
	48~100	0.01・0.015	589	517	452
		0.02・0.025	509	447	391
		0.03・0.035	465	408	357
		0.04~0.09 (0.01 とび)	428	375	328
	101~140	0.01・0.015	749	658	575
		0.02・0.025	646	567	496
		0.03・0.035	592	520	455
		0.04~0.09 (0.01 とび)	543	477	417
26~30	10~30	0.01・0.015	372	326	286
		0.02・0.025	320	281	246
		0.03・0.035	293	257	225
		0.04~0.09 (0.01 とび)	269	236	207
	31~47	0.01・0.015	482	423	370
		0.02・0.025	415	365	319
		0.03・0.035	380	334	292
		0.04~0.09 (0.01 とび)	350	307	269
	48~100	0.01・0.015	682	599	524
		0.02・0.025	587	516	451
		0.03・0.035	538	473	413
		0.04~0.09 (0.01 とび)	494	434	379
	101~140	0.01・0.015	866	761	665
		0.02・0.025	747	655	573
		0.03・0.035	684	601	526
		0.04~0.09 (0.01 とび)	628	551	482

(続く)

(続き)

Y=短辺(mm)	X=長辺(mm)	板厚(mm)	10~20 枚	21~50 枚	51~100 枚
31~43	10~30	0.01・0.015	417	366	320
		0.02・0.025	359	316	276
		0.03・0.035	328	288	252
		0.04~0.09 (0.01 とび)	302	265	232
	31~47	0.01・0.015	589	517	452
		0.02・0.025	509	447	391
		0.03・0.035	465	408	357
		0.04~0.09 (0.01 とび)	428	375	328
	48~100	0.01・0.015	636	558	488
		0.02・0.025	548	481	421
		0.03・0.035	502	441	386
		0.04~0.09 (0.01 とび)	460	404	354
	101~140	0.01・0.015	874	768	672
		0.02・0.025	754	662	579
		0.03・0.035	690	606	530
		0.04~0.09 (0.01 とび)	633	556	486
44~50	10~30	0.01・0.015	589	517	452
		0.02・0.025	509	447	391
		0.03・0.035	465	408	357
		0.04~0.09 (0.01 とび)	428	375	328
	31~47	0.01・0.015	636	558	488
		0.02・0.025	548	481	421
		0.03・0.035	502	441	386
		0.04~0.09 (0.01 とび)	460	404	354
	48~100	0.01・0.015	636	558	488
		0.02・0.025	548	481	421
		0.03・0.035	502	441	386
		0.04~0.09 (0.01 とび)	460	404	354
	101~140	0.01・0.015	903	793	694
		0.02・0.025	779	684	598
		0.03・0.035	713	626	548
		0.04~0.09 (0.01 とび)	655	575	503
51~90	48~100	0.01・0.015	903	793	694
		0.02・0.025	779	684	598
		0.03・0.035	713	626	548
		0.04~0.09 (0.01 とび)	655	575	503
	101~140	0.01・0.015	1,216	1,068	934
		0.02・0.025	1,049	921	806
		0.03・0.035	961	843	738
		0.04~0.09 (0.01 とび)	881	774	677